

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Trade name : Labomat SPM  
UFI : WWK0-H0MQ-S00U-CE21

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Main use category : Professional uses  
Use of the substance/mixture : instrument cleaner  
Medical device  
(I)

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet****Manufacturer/Supplier**

Laboratorium Dr. Deppe GmbH

Hooghe Weg 35

D-47906 Kempen

T +49 21 52 55 65 0 - F +49 21 52 50 84 9

[sdb@dr-deppe.de](mailto:sdb@dr-deppe.de) - [www.dr-deppe.de](http://www.dr-deppe.de)

**Email competent person**

[sdb@dr-deppe.de](mailto:sdb@dr-deppe.de)

**1.4. Emergency telephone number**

Emergency number : INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Skin sensitisation, category 1A H317

Specific target organ toxicity — Repeated exposure, Category 2 H373

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H-statements: see section 16

**Adverse physicochemical, human health and environmental effects**

May cause damage to organs (kidneys) through prolonged or repeated exposure (oral). May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

**2.2. Label elements****Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP)



Signal word (CLP)

: Warning

Contains

: ethanediol; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Hazard statements (CLP)

: H317 - May cause an allergic skin reaction.

H373 - May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).

H412 - Harmful to aquatic life with long lasting effects.

# Labomat SPM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Precautionary statements (CLP) : P261 - Avoid breathing mist, vapours, spray.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves.  
P314 - Get medical advice/attention if you feel unwell.  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

### 2.3. Other hazards

PBT: not relevant – no registration required

vPvB: not relevant – no registration required

Component	
ethanediol (107-21-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Propane-1,2-diol (57-55-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanediol substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	(CAS-No.) 107-21-1 (EC-No.) 203-473-3 (EC Index-No.) 603-027-00-1 (REACH-no) 01-2119456816-28-xxxx	≥ 20 – < 25	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) STOT RE 2, H373
Propane-1,2-diol substance with national workplace exposure limit(s) (GB)	(CAS-No.) 57-55-6 (EC-No.) 200-338-0 (REACH-no) 01-2119456809-23-xxxx	≥ 0.1 – < 0.25	Not classified
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (Note B)	(CAS-No.) 55965-84-9 (EC Index-No.) 613-167-00-5 (REACH-no) 01-2120764691-48-xxxx	< 0.1	Acute Tox. 2 (Inhalation), H330 (ATE=0.171 mg/l/4h) Acute Tox. 2 (Dermal), H310 (ATE=87.12 mg/kg bodyweight) Acute Tox. 3 (Oral), H301 (ATE=64 mg/kg bodyweight) Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)

# Labomat SPM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	(CAS-No.) 55965-84-9 (EC Index-No.) 613-167-00-5 (REACH-no) 01-2120764691-48-xxxx	( 0.0015 ≤C ≤ 100) Skin Sens. 1A, H317 ( 0.06 ≤C < 0.6) Eye Irrit. 2, H319 ( 0.06 ≤C < 0.6) Skin Irrit. 2, H315 ( 0.6 ≤C ≤ 100) Eye Dam. 1, H318 ( 0.6 ≤C ≤ 100) Skin Corr. 1C, H314

Note B : Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell. Do NOT induce vomiting. Rinse mouth out with water. Do not give an unconscious person anything to drink.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: May cause an allergic skin reaction.
-------------------------------------	--

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Strong water jet.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon dioxide. Carbon monoxide. Nitrogen oxides.
--	--

### 5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Do not allow run-off from fire fighting to enter drains or water courses. Disposal must be done according to official regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Do not breathe mist, vapours, spray. Avoid contact with skin and eyes.
----------------------	---

# Labomat SPM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Notify authorities if product enters sewers or public waters. Avoid sub-soil penetration. Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal.

Other information : Disposal must be done according to official regulations.

### 6.4. Reference to other sections

Information for safe handling. See section 7. Concerning personal protective equipment to use, see section 8. For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Do not breathe mist, vapours, spray. Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Protect against frost.

Information about storage in one common storage facility : Keep away from food, drink and animal feeding stuffs.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

ethanediol (107-21-1)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Ethylene glycol
IOEL TWA	52 mg/m <sup>3</sup>
IOEL TWA [ppm]	20 ppm
IOEL STEL	104 mg/m <sup>3</sup>
IOEL STEL [ppm]	40 ppm
Notes	Skin
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
United Kingdom - Occupational Exposure Limits	
Local name	Ethane-1,2-diol
WEL TWA (OEL TWA) [1]	10 mg/m <sup>3</sup> particulate 52 mg/m <sup>3</sup> vapour

# Labomat SPM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

ethanediol (107-21-1)	
WEL TWA (OEL TWA) [2]	20 ppm vapour
WEL STEL (OEL STEL)	104 mg/m <sup>3</sup> vapour
WEL STEL (OEL STEL) [ppm]	40 ppm vapour
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Propane-1,2-diol (57-55-6)	
United Kingdom - Occupational Exposure Limits	
Local name	Propane-1,2-diol
WEL TWA (OEL TWA) [1]	10 mg/m <sup>3</sup> particulates 474 mg/m <sup>3</sup> total vapour and particulates
WEL TWA (OEL TWA) [2]	150 ppm total vapour and particulates
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

ethanediol (107-21-1)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	106 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	35 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Long-term - systemic effects, dermal	53 mg/kg bodyweight/day
Long-term - local effects, inhalation	7 mg/m <sup>3</sup>
PNEC (Water)	
PNEC aqua (freshwater)	10 mg/l
PNEC aqua (marine water)	1 mg/l
PNEC aqua (intermittent, freshwater)	10 mg/l
PNEC aqua (intermittent, marine water)	10 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	37 mg/kg dwt
PNEC sediment (marine water)	3.7 mg/kg dwt
PNEC (Soil)	
PNEC soil	1.53 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	199.5 mg/l

# Labomat SPM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

#### DNEL/DMEL (Workers)

Acute - local effects, inhalation	0.04 mg/m <sup>3</sup>
Long-term - local effects, inhalation	0.02 mg/m <sup>3</sup>

#### DNEL/DMEL (General population)

Acute - systemic effects, oral	0.11 mg/kg bodyweight
Acute - local effects, inhalation	0.04 mg/m <sup>3</sup>
Long-term - systemic effects, oral	0.09 mg/kg bodyweight/day
Long-term - local effects, inhalation	0.02 mg/m <sup>3</sup>

#### PNEC (Water)

PNEC aqua (freshwater)	0.00339 mg/l
PNEC aqua (marine water)	0.00339 mg/l
PNEC aqua (intermittent, freshwater)	0.00339 mg/l
PNEC aqua (intermittent, marine water)	0.00339 mg/l

#### PNEC (Sediment)

PNEC sediment (freshwater)	0.027 mg/kg dwt
PNEC sediment (marine water)	0.027 mg/kg dwt

#### PNEC (Soil)

PNEC soil	0.01 mg/kg dwt
-----------	----------------

#### PNEC (STP)

PNEC sewage treatment plant	0.23 mg/l
-----------------------------	-----------

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

##### 8.2.2.1. Eye and face protection

##### Eye protection:

Sealed safety goggles. EN 166

##### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing. EN ISO 13688. EN 13034

##### Hand protection:

Chemically resistant protective gloves. Nitrile rubber. 6 (> 480 minutes). EN 374. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear

##### 8.2.2.3. Respiratory protection

# Labomat SPM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Short term exposure. Breathing apparatus with filter. A-P2. EN 143. Breathing equipment is only to be used in order to handle the residual risk of short term jobs if all other risk minimizing measures have been carried out e.g. retention and/or local exhaust

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes. Always wash hands after handling the product. Apply emollient cream.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: yellowish.
Appearance	: clear.
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: -13 °C
Boiling point	: 100 °C
Flammability	: Not applicable
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing.
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: Not available
Auto-ignition temperature	: 398 °C
Decomposition temperature	: Not available
pH	: 6.6 – 7.3
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 0.123 hPa (25 °C)
Vapour pressure at 50 °C	: Not available
Density	: 1.025 – 1.036 g/ml (20 °C)
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : 20.27 %

# Labomat SPM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

Oxidizing agent.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

#### Labomat SPM

ATE CLP (oral)	2500 mg/kg bodyweight
ATE CLP (dermal)	> 2000 mg/kg bodyweight
ATE CLP (dust,mist)	> 5 mg/l/4h

#### ethanediol (107-21-1)

LD50 oral rat	7712 mg/kg bodyweight
LD50 oral	≈ 1600 mg/kg bodyweight (human (estimated value))
LD50 dermal	> 3500 mg/kg bodyweight (mouse)
LC50 Inhalation - Rat	> 2.5 mg/l (6 h)

#### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

LD50 oral rat	64 mg/kg (male)
LD50 dermal rabbit	87.12 mg/kg bodyweight (male)
LC50 Inhalation - Rat (Dust/Mist)	0.33 mg/l/4h (OECD 403 method)

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 6.6 – 7.3
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 6.6 – 7.3
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)



# Labomat SPM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).

ethanediol (107-21-1)	
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight/day (OECD 452 method)
NOAEL (dermal, rat/rabbit, 90 days)	2200 – 4400 mg/kg bodyweight/day (OECD 410 method)
STOT-repeated exposure	May cause damage to organs (kidneys) through prolonged or repeated exposure (if swallowed).

Propane-1,2-diol	
NOAEL (subchronic, oral, animal/female, 90 days)	2100 mg/kg bodyweight/day (rat; Chronic; 2 years)

Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
-------------------	---

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.

Propane-1,2-diol	
NOEC chronic algae	15000 mg/l (72 h; Pseudokirchneriella subcapitata; (OECD 201 method))

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
LC50 - Fish [1]	0.19 mg/l (96 h; Oncorhynchus mykiss; EPA OPP 72-1)
EC50 - Crustacea [1]	0.18 mg/l (48 h; Daphnia magna; EPA OPP 72-2)
ErC50 algae	0.0273 mg/l (72 h; Pseudokirchneriella subcapitata; (OECD 201 method))
NOEC chronic fish	0.098 mg/l (28 d; Oncorhynchus mykiss; (OECD 215 method))
NOEC chronic crustacea	0.328 mg/l (21 d; Daphnia magna; (OECD 211 method))

### 12.2. Persistence and degradability

ethanediol (107-21-1)	
Persistence and degradability	Readily biodegradable.
Biodegradation	90 – 100 % (10 d; (OECD 301A method))

Propane-1,2-diol (57-55-6)	
Persistence and degradability	Readily biodegradable.
Biodegradation	98.3 % (28 d; (OECD 301F method))

# Labomat SPM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

Persistence and degradability	Readily biodegradable, failing 10-d window.
Biodegradation	62 % (29 d; (OECD 301B method))

### 12.3. Bioaccumulative potential

#### ethanediol (107-21-1)

Partition coefficient n-octanol/water (Log Pow)	-1.36 (Quantitative structure-activity relationship (QSAR))
Bioaccumulative potential	Bioaccumulation unlikely.

#### Propane-1,2-diol (57-55-6)

Bioconcentration factor (BCF REACH)	0.09 (calculated value)
Partition coefficient n-octanol/water (Log Pow)	-1.07 (Test method EU A.8; 20.5 °C)
Bioaccumulative potential	not bioaccumulable.

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

Bioconcentration factor (BCF REACH)	≈ 41 (20 °C; 0.12 mg/L; EPA OPP 165-4)
Partition coefficient n-octanol/water (Log Pow)	-0.32 – 0.7 (20 °C; (OECD 117 method))

### 12.4. Mobility in soil

#### ethanediol (107-21-1)

Partition coefficient n-octanol/water (Log Koc)	0 (Quantitative structure-activity relationship (QSAR))
---	---

#### Propane-1,2-diol (57-55-6)

Surface tension	71.6 mN/m (21.5 °C; 1.01 g/L; Test method EU A.5)
Partition coefficient n-octanol/water (Log Koc)	0.46 (calculated value)

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

Surface tension	73 mN/m (19.5 °C; 1 g/L; Test method EU A.5)
Ecology - soil	Low mobility (soil).

### 12.5. Results of PBT and vPvB assessment

#### Labomat SPM

PBT: not relevant – no registration required
vPvB: not relevant – no registration required

#### Component

ethanediol (107-21-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Propane-1,2-diol (57-55-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# Labomat SPM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods	: Disposal must be done according to official regulations. European waste catalogue. Do not discharge into drains or the environment. Do not dispose of with domestic waste.
Product/Packaging disposal recommendations	: Recycle or dispose of in compliance with current legislation.
HP Code	: HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# Labomat SPM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:	
Reference code	Applicable on
3(b)	Labomat SPM ; ethanediol ; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
3(c)	Labomat SPM ; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : 20.27 %

Other information, restriction and prohibition regulations : This safety data sheet is for informational purposes only and does not comply with national legal requirements without reference to a national distributor. The national distributor is responsible for a legally compliant safety data sheet. Take note of Directive 94/33/EC on the protection of young people at work. Regulation (EU) 2017/745 of the European Parliament and of the Council of 5 April 2017 on medical devices, amending Directive 2001/83/EC, Regulation (EC) No 178/2002 and Regulation (EC) No 1223/2009 and repealing Council Directives 90/385/EEC and 93/42/EEC.

##### 15.1.2. National regulations

###### United Kingdom

National regulations : This safety data sheet is for informational purposes only and does not comply with national legal requirements without reference to a national distributor. The national distributor is responsible for a legally compliant safety data sheet.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

Indication of changes:			
Section	Changed item	Change	Comments
1.1	Emergency number	Modified	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association

# Labomat SPM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative

Data sources : MSDSs of the suppliers. Information provided by the manufacturer. ECHA (European Chemicals Agency).  
Department issuing data : KFT Chemieservice GmbH  
specification sheet: Im Leuschnerpark 3  
D-64347 Griesheim  
  
Phone: +49 6155-8981-400  
Fax: +49 6155 8981-500  
SDS Service: +49 6155 8981-522  
  
Contact person : Barbara Stark  
Other information : Version/s 1.00-2.00 is/are not available in this language.

Full text of H- and EUH-statements:	
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1A	Skin sensitisation, category 1A
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H301	Toxic if swallowed.
H302	Harmful if swallowed.

# Labomat SPM

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Skin Sens. 1A	H317	Expert judgment
STOT RE 2	H373	Calculation method
Aquatic Chronic 3	H412	Calculation method

KFT SDS EU 01

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.