

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) Issue date: 07/05/2021 Revision date: 07/05/2021 Version: 1.01

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name : Op Sept Basic Bio-wipes UFI : 01D0-10DY-9008-F3EV

Type of product : Biocide

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use Use of the substance/mixture : Disinfectant

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer/Supplier

Laboratorium Dr. Deppe GmbH Hooghe Weg 35 D-47906 Kempen T +49 21 52 55 65 0 - F +49 21 52 50 84 9 sdb@dr-deppe.de - www.dr-deppe.de

## **Email competent person**

sdb@dr-deppe.de

## 1.4. Emergency telephone number

Emergency number : INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225 Serious eye damage/eye irritation, Category 2 H319

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Causes serious eye irritation.

#### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS02

GHS07

Signal word (CLP)

Hazard statements (CLP) : H225 - Highly

: H225 - Highly flammable liquid and vapour.

H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

: Danger

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P403+P235 - Store in a well-ventilated place. Keep cool.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Extra phrases

: The additional label requirements of directive EU 528/2012 about the available on the market and use of biocidal products have to be observed.

## 2.3. Other hazards

Other hazards which do not result in classification

PBT: not relevant – no registration required vPvB: not relevant – no registration required

: Explosive vapour/air mixtures may be formed.

Component	
ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
butanone (78-93-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanol (Active substance (Biocide)) substance with national workplace exposure limit(s) (GB)	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43-xxxx	≥ 70 - < 80	Flam. Liq. 2, H225 Eye Irrit. 2, H319
butanone substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	(CAS-No.) 78-93-3 (EC-No.) 201-159-0 (EC Index-No.) 606-002-00-3 (REACH-no) 01-2119457290-43-xxxx	≥ 0.25 – < 1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
ethanol (Active substance (Biocide))	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43-xxxx	( 50 ≤C < 100) Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general

First-aid measures after inhalation

First-aid measures after skin contact

First-aid measures after eye contact

First-aid measures after ingestion

- : In all cases of doubt, or when symptoms persist, seek medical attention.
- : Remove person to fresh air and keep comfortable for breathing.
- : Rinse skin with water/shower. Take off immediately all contaminated clothing.
- : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

: Call a poison center or a doctor if you feel unwell.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Eye irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Foam.

Carbon dioxide.

Unsuitable extinguishing media : Strong water jet.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : Explosive vapour/air mixtures may be formed.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Nitrogen oxides. Carbon dioxide. Carbon monoxide.

#### 5.3. Advice for firefighters

Firefighting instructions : Protect container with water spray.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

Other information : Do not allow run-off from fire fighting to enter drains or water courses. Disposal must be

done according to official regulations.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin

and eyes. Avoid breathing gas, mist, vapours, spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

# **6.2. Environmental precautions**

Avoid sub-soil penetration. Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Cover spill with non combustible material, e.g.: sand/earth. Take up mechanically

(sweeping, shovelling) and collect in suitable container for disposal. Notify authorities if

product enters sewers or public waters.

Other information : Disposal must be done according to official regulations.

## 6.4. Reference to other sections

Information for safe handling. See section 7. Concerning personal protective equipment to use, see section 8. For further information refer to section 13.

## **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Additional hazards when processed : In use, may form flammable vapour-air mixture.

07/05/2021 (Revision date) GB - en 3/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Avoid contact with skin and eyes. Vapours are heavier than air and may spread along floors.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the

easures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Avoid the build-up

of electrostatic charge. Protect against frost.

Heat and ignition sources : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Keep away from heat and direct sunlight.

Information about storage in one common storage

acility

: Keep away from food, drink and animal feeding stuffs.

# 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

ethanol (64-17-5)	
United Kingdom - Occupational Exposure Limits	
Local name	Ethanol
WEL TWA (OEL TWA) [1]	1920 mg/m³
WEL TWA (OEL TWA) [2]	1000 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

butanone (78-93-3)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Butanone	
IOEL TWA	600 mg/m³	
IOEL TWA [ppm]	200 ppm	
IOEL STEL	900 mg/m³	
IOEL STEL [ppm]	300 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
United Kingdom - Occupational Exposure Limits		
Local name	Butan-2-one (methyl ethyl ketone)	
WEL TWA (OEL TWA) [1]	600 mg/m³	
WEL TWA (OEL TWA) [2]	200 ppm	
WEL STEL (OEL STEL)	899 mg/m³	
WEL STEL (OEL STEL) [ppm]	300 ppm	
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

butanone (78-93-3)		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
United Kingdom - Biological limit values		
Local name	Butan-2-one (methyl ethyl ketone)	
BMGV	70 μmol/l Parameter: butan-2-one - Medium: urine - Sampling time: Post shift	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

## 8.1.2. Recommended monitoring procedures

No additional information available

## 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

ethanol (64-17-5)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	343 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	950 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	87 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	114 mg/m³	
Long-term - systemic effects, dermal	206 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.96 mg/l	
PNEC aqua (marine water)	0.79 mg/l	
PNEC aqua (intermittent, freshwater)	2.75 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	3.6 mg/kg dwt	
PNEC sediment (marine water)	2.9 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.63 mg/kg dwt	
PNEC (Oral)		
PNEC oral (secondary poisoning)	0.38 kg/kg food	
PNEC (STP)		
PNEC sewage treatment plant	580 mg/l	

butanone (78-93-3)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	1161 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	600 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	31 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	106 mg/m³	
Long-term - systemic effects, dermal	412 mg/kg bodyweight/day	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

PNEC (Water)	
PNEC aqua (freshwater)	55.8 mg/l
PNEC aqua (marine water)	55.8 mg/l
PNEC aqua (intermittent, freshwater)	55.8 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	284.74 mg/kg dwt
PNEC sediment (marine water)	284.7 mg/kg dwt
PNEC (Soil)	
PNEC soil	22.5 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	1000 kg/kg food
PNEC (STP)	
PNEC sewage treatment plant	709 mg/l

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### 8.2.2.1. Eye and face protection

#### Eye protection:

Not required for normal conditions of use. Safety goggles recommended during refilling. EN 166

#### 8.2.2.2. Skin protection

# Skin and body protection:

Wear suitable protective clothing. EN ISO 13688. EN 13034. Flame retardant antistatic protective clothing

#### Hand protection:

Not required for normal conditions of use. hand desinfection. Handling large quantities of product: In case of repeated or prolonged contact wear gloves. Nitrile rubber. EN 374. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

No respiratory protection needed under normal use conditions

#### 8.2.2.4. Thermal hazards

No additional information available

## 8.2.3. Environmental exposure controls

# Environmental exposure controls:

Avoid release to the environment.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

#### Other information:

Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes. Always wash hands after handling the product.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : colourless. Appearance : soaked wipes. Odour : characteristic. Odour threshold : Not available Melting point : Not applicable Freezing point : Not available Boiling point : ≈ 78 °C (1013 hPa) Flammability : Not applicable

Explosive properties : Product is not explosive. Explosive vapour/air mixtures may be formed.

Oxidising properties : Non oxidizing.

Explosive limits : Not available

Lower explosive limit (LEL) : 2.5 vol %

Upper explosive limit (UEL) : 13.5 vol %

Flash point : 20 °C

Auto-ignition temperature : > 363 °C

Decomposition temperature : Not available

pH : 7

Viscosity, kinematic : Not available

Solubility : Water: completely miscible

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : 57.26 hPa (19,6 °C) Vapour pressure at 50 °C : Not available Density : 0.87 - 0.89 g/cm<sup>3</sup> Relative density : Not available Relative vapour density at 20 °C : Not available Particle size : Not applicable Particle size distribution : Not applicable Particle shape : Not applicable : Not applicable Particle aspect ratio Particle aggregation state : Not applicable Particle agglomeration state : Not applicable Particle specific surface area Not applicable Particle dustiness Not applicable

# 9.2. Other information

## 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. Highly flammable liquid and vapour.

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

Oxidation agents.

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 7
Serious eye damage/irritation	: Causes serious eye irritation. pH: 7
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

butanone (78-93-3)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure :	Not classified (Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

## 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term : Not classified (Based on available data, the classification criteria are not met) (chronic)

# 12.2. Persistence and degradability

ethanol (64-17-5)	
Persistence and degradability Readily biodegradable.	
Biodegradation	84 % (20 d)

butanone (78-93-3)	
Persistence and degradability	Readily biodegradable.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Biodegradation	98 % (28 d; OECD 301)

## 12.3. Bioaccumulative potential

ethanol (64-17-5)	
Partition coefficient n-octanol/water (Log Kow) -0.35 (20 °C)	
Bioaccumulative potential Bioaccumulation unlikely.	

butanone (78-93-3)	
Partition coefficient n-octanol/water (Log Pow)  0.3 (40 °C; pH 7; (OECD 117 method))	
Bioaccumulative potential	Bioaccumulation unlikely.

## 12.4. Mobility in soil

ethanol (64-17-5)	
Surface tension	22.31 mN/m (20 °C)

## 12.5. Results of PBT and vPvB assessment

# **Op Sept Basic Bio-wipes**

PBT: not relevant – no registration required

vPvB: not relevant – no registration required

Component	
ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
butanone (78-93-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods : Disposal must be done according to official regulations. European waste catalogue. Do not discharge into drains or the environment. Do not dispose of with domestic waste.

Product/Packaging disposal recommendations : Recycle or dispose of in compliance with current legislation. Additional information : Flammable vapours may accumulate in the container.

07/05/2021 (Revision date) GB - en 9/13

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

**HP Code** 

- : HP3 "Flammable:"
  - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
  - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
  - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
  - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
  - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
  - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP4 - "Irritant — skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 3175	UN 3175	UN 3175	UN 3175	UN 3175
14.2. UN proper shipping	g name			
SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)	Solids containing flammable liquid, n.o.s. (Ethanol)	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)
Transport document descri	ption			
UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol), 4.1, II, (E)	UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol), 4.1, II	UN 3175 Solids containing flammable liquid, n.o.s. (Ethanol), 4.1, II	UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol), 4.1, II	UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol), 4.1, I
14.3. Transport hazard c	lass(es)			
4.1	4.1	4.1	4.1	4.1
14.4. Packing group				
II	II	II	II	II
14.5. Environmental haz	ards			
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information	n available			<u> </u>

## 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : F1

Special provisions (ADR) : 216, 274, 601

Limited quantities (ADR) : 1kg
Excepted quantities (ADR) : E2
Transport category (ADR) : 2

07/05/2021 (Revision date) GB - en 10/13

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Hazard identification number (Kemler No.) : 40

Orange plates :

40 3175

Tunnel restriction code (ADR) : E EAC code : 1Z

Transport by sea

Special provisions (IMDG) : 216, 274
Limited quantities (IMDG) : 1 kg
Excepted quantities (IMDG) : E2
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-I

Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y441
PCA limited quantity max net quantity (IATA) : 5kg
PCA packing instructions (IATA) : 445
PCA max net quantity (IATA) : 15kg
CAO max net quantity (IATA) : 50kg
Special provisions (IATA) : A46

Inland waterway transport

Classification code (ADN) : F1

Special provisions (ADN) : 216, 274, 601, 800

Limited quantities (ADN) : 1 kg Excepted quantities (ADN) : E2

Additional requirements/Remarks (ADN) : VE03, IN01 and IN02 apply only when this substance is carried in bulk or without packaging

Rail transport

Classification code (RID) : F1

Special provisions (RID) : 216, 274, 601

Limited quantities (RID): 1kgExcepted quantities (RID): E2Transport category (RID): 2Hazard identification number (RID): 40

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

The following res	The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:	
Reference code Applicable on		
3(a)	Op Sept Basic Bio-wipes ; ethanol ; butanone	
3(b) Op Sept Basic Bio-wipes ; ethanol ; butanone		
40.	Op Sept Basic Bio-wipes ; ethanol ; butanone	

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Other information, restriction and prohibition regulations

: Take note of Directive 94/33/EC on the protection of young people at work. Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products. The additional label requirements of directive EU 528/2012 about the available on the market and use of biocidal products have to be observed. Every advertisement for biocides has to be accompanied by following sentence: Use biocides safely. Always read the label and product information before use.

Type of product (Biocide)

: 1 - Human hygiene

## Directive 2012/18/EU (SEVESO III)

Seveso III Part I (Categories of dangerous substances)	Qualifying quantity (tonnes)	
	Lower-tier	Upper-tier
P5c FLAMMABLE LIQUIDS Flammable liquids, Categories 2 or 3 not covered by P5a and P5b	5000	50000

#### 15.1.2. National regulations

#### **United Kingdom**

National regulations

: This safety data sheet is for informational purposes only and does not comply with national legal requirements without reference to a national distributor. The national distributor is responsible for a legally compliant safety data sheet.

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Indication of changes:			
Section Changed item Change Comments			
	General revision		SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Abbreviations and acronyms:			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC50	Median effective concentration		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

OECD	Organisation for Economic Co-operation and Development		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
TLM	Median Tolerance Limit		
vPvB	Very Persistent and Very Bioaccumulative		

Data sources : ECHA (European Chemicals Agency). MSDSs of the suppliers. Information provided by the manufacturer.

Department issuing data specification sheet:

: KFT Chemieservice GmbH Im Leuschnerpark 3 D-64347 Griesheim

Phone: +49 6155-8981-400 Fax: +49 6155 8981-500 SDS Service: +49 6155 8981-522

Contact person : Barbara Stark

Other information : Version/s 5.00-7.00 is/are not available in this language.

Full text of H- and EUH-statements:		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H225	Highly flammable liquid and vapour.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:				
Flam. Liq. 2	H225	On basis of test data		
Eye Irrit. 2	H319	Calculation method		

## KFT SDS EU 01

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.