

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
Issue date: 09/06/2021 Revision date: 09/06/2021 Supersedes version of: 28/05/2021 Version: 5.00

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : Spray On Bio-wipes UFI : 4RM0-K0HP-U00S-YTVP

Type of product : Biocide

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Disinfectant

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

...

Laboratorium Dr. Deppe GmbH Hooghe Weg 35

Supplier

D-47906 Kempen T +49 21 52 55 65 0 - F +49 21 52 50 84 9 sdb@dr-deppe.de - www.dr-deppe.de Email competent person sdb@dr-deppe.de

1.4. Emergency telephone number

Emergency number : INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225
Serious eye damage/eye irritation, Category 1 H318
Specific target organ toxicity — Single exposure, Category 3, Narcosis H336

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Causes serious eye damage. May cause drowsiness or dizziness.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :







GHS02 : Danger

GHS05

H336 - May cause drowsiness or dizziness.

GHS07

Signal word (CLP)

iai word (CEF) . Dari

Contains : propan-2-ol; n-propanol

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.
H318 - Causes serious eye damage.

09/06/2021 (Revision date) GB - en 1/13

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P261 - Avoid breathing gas, mist, vapours, spray. P280 - Wear eye protection, face protection.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER, a doctor. P403+P235 - Store in a well-ventilated place. Keep cool.

: The additional label requirements of directive EU 528/2012 about the available on the

market and use of biocidal products have to be observed.

2.3. Other hazards

Extra phrases

Other hazards which do not result in classification PBT: not relevant – no registration required vPvB: not relevant – no registration required

: Repeated exposure may cause skin dryness or cracking.

Component	
propan-2-ol (67-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
n-propanol (71-23-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol (Active substance (Biocide)) substance with national workplace exposure limit(s) (GB)	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25-xxxx	≥ 25 - < 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
n-propanol (Active substance (Biocide)) substance with national workplace exposure limit(s) (GB)	(CAS-No.) 71-23-8 (EC-No.) 200-746-9 (EC Index-No.) 603-003-00-0 (REACH-no) 01-2119486761-29-xxxx	≥ 10 - < 20	Flam. Liq. 2, H225 Eye Dam. 1, H318 STOT SE 3, H336

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.

First-aid measures after skin contact

: Rinse skin with water/shower. Take off immediately all contaminated clothing.

First-aid measures after eye contact

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

09/06/2021 (Revision date) GB - en 2/13

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

First-aid measures after ingestion

: Call a poison center or a doctor if you feel unwell. Rinse mouth out with water. Do not give an unconscious person anything to drink. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after eye contact : Serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Foam.

Carbon dioxide.

Unsuitable extinguishing media : Strong water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : Explosive vapour/air mixtures may be formed. Heavier than air, vapours may travel long

distances along ground, ignite and flash back to source.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Nitrogen oxides. Carbon dioxide. Carbon monoxide.

5.3. Advice for firefighters

Firefighting instructions : Protect container with water spray.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

Other information : Do not allow run-off from fire fighting to enter drains or water courses. Disposal must be

done according to official regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin

and eyes. Avoid breathing gas, mist, vapours, spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid sub-soil penetration. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal.

Notify authorities if product enters sewers or public waters.

Other information : Disposal must be done according to official regulations.

6.4. Reference to other sections

Information for safe handling. See section 7. Concerning personal protective equipment to use, see section 8. For further information refer to section 13.

09/06/2021 (Revision date) GB - en 3/13

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed Precautions for safe handling

: In use, may form flammable vapour-air mixture.

Ensure good ventilation of the work station. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Avoid contact with skin and eyes. Use only outdoors or in a well-ventilated area. Avoid breathing gas, mist, vapours, spray. Vapours are

heavier than air and may spread along floors.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Ground/bond container and receiving equipment.

Storage conditions

: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Protect against frost.

Heat and ignition sources

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from heat and direct sunlight. Take precautionary measures against

static discharges.

Information about storage in one common storage

facility

: Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

ropan-2-ol (67-63-0)	
Jnited Kingdom - Occupational Exposure Limits	
Local name	Propan-2-ol
WEL TWA (OEL TWA) [1]	999 mg/m³
WEL TWA (OEL TWA) [2]	400 ppm
WEL STEL (OEL STEL)	1250 mg/m³
WEL STEL (OEL STEL) [ppm]	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

-propanol (71-23-8)	
United Kingdom - Occupational Exposure Limits	
Local name	Propan-1-ol
WEL TWA (OEL TWA) [1]	500 mg/m³
WEL TWA (OEL TWA) [2]	200 ppm
WEL STEL (OEL STEL)	625 mg/m³
WEL STEL (OEL STEL) [ppm]	250 ppm
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

propan-2-ol (67-63-0)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	888 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	500 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	26 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	89 mg/m³	
Long-term - systemic effects, dermal	319 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	140.9 mg/l	
PNEC aqua (marine water)	140.9 mg/l	
PNEC aqua (intermittent, freshwater)	140.9 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	552 mg/kg dwt	
PNEC sediment (marine water)	552 mg/kg dwt	
PNEC (Soil)		
PNEC soil	28 mg/kg dwt	
PNEC (Oral)		
PNEC oral (secondary poisoning)	160 mg/kg	
PNEC (STP)		
PNEC sewage treatment plant	2251 mg/l	

-propanol (71-23-8)		
DNEL/DMEL (Workers)	NEL/DMEL (Workers)	
Acute - systemic effects, inhalation	1723 mg/m³	
Long-term - systemic effects, dermal	136 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	268 mg/m³	
DNEL/DMEL (General population)		
Acute - systemic effects, inhalation	1036 mg/m³	
Long-term - systemic effects,oral	61 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	80 mg/m³	
Long-term - systemic effects, dermal	81 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	6.83 mg/l	
PNEC aqua (marine water)	0.683 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	27.5 mg/kg dwt	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

PNEC sediment (marine water)	2.75 mg/kg dwt
PNEC (Soil)	
PNEC soil	1.49 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	96 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Wear closed safety glasses. EN 166. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing. EN 340. EN 13034

Hand protection:

In case of repeated or prolonged contact wear gloves. Butyl rubber. EN 374. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions. Not necessary with sufficient ventilation

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes. Always wash hands after handling the product. The above mentioned instructions regarding the protective equipment refer to the industrial use of larger quantities.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : colourless.
Appearance : soaked wipes.
Odour : characteristic.
Odour threshold : Not available
Melting point : -127.1 °C (1013 hPa)

O9/06/2021 (Revision date) GB - en 6/13

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Freezing point : Not available
Boiling point : 82 °C
Flammability : Not applicable

Explosive properties : Product is not explosive. Explosive vapour/air mixtures may be formed.

Oxidising properties : Non oxidizing. **Explosive limits** Not available Lower explosive limit (LEL) 2 vol % Upper explosive limit (UEL) 12 vol % Flash point : 23 °C Auto-ignition temperature : 400 °C : Not available Decomposition temperature : Not available рΗ Viscosity, kinematic : Not available

Solubility : Water: completely miscible

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : 48 hPa (20 °C) Vapour pressure at 50 °C : Not available Density : $0.88 - 0.89 \text{ g/cm}^3$ Relative density : Not available Relative vapour density at 20 °C : Not available Particle size : Not applicable Particle size distribution : Not applicable Particle shape : Not applicable Particle aspect ratio : Not applicable Particle aggregation state : Not applicable Particle agglomeration state : Not applicable Particle specific surface area : Not applicable Particle dustiness : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not sustained combustibility : Yes

9.2.2. Other safety characteristics

VOC content : 59.81 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapour. The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Oxidizing materials.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

STOT-single exposure : May cause drowsiness or dizziness.

propan-2-ol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.

n-propanol (71-23-8)		
	STOT-single exposure	May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term : Not classified (Based on available data, the classification criteria are not met)

(chronic)

propan-2-ol NOEC chronic algae 1800 mg/l (7d; Scenedesmus quadricauda)

12.2. Persistence and degradability

propan-2-ol (67-63-0)	
Persistence and degradability	Readily biodegradable.
Biodegradation	53 % (5 d)

n-propanol (71-23-8)	
Persistence and degradability	Readily biodegradable.
Biodegradation	75 % (20 d)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

12.3. Bioaccumulative potential

propan-2-ol (67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0.05 (25 °C)
Bioaccumulative potential	Bioaccumulation unlikely.

n-propanol (71-23-8)	
Partition coefficient n-octanol/water (Log Pow)	0.2 (25 °C; pH 7; (OECD 117 method))

12.4. Mobility in soil

propan-2-ol (67-63-0)	
Ecology - soil	Expected to be highly mobile in soil.

n-propanol (71-23-8)	
Partition coefficient n-octanol/water (Log Koc)	0.633 (Quantitative structure-activity relationship (QSAR))

12.5. Results of PBT and vPvB assessment

Spray On Bio-wipes
PBT: not relevant – no registration required
vPvB: not relevant – no registration required

Component	
propan-2-ol (67-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
n-propanol (71-23-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Disposal must be done according to official regulations. European waste catalogue. Do not discharge into drains or the environment. Do not dispose of with domestic waste.

Product/Packaging disposal recommendations : Recycle or dispose of in compliance with current legislation.

Additional information : Flammable vapours may accumulate in the container.

09/06/2021 (Revision date) GB - en 9/13

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

HP Code

- : HP3 "Flammable:"
 - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
 - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
 - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
 - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
 - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP4 - "Irritant — skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID number					
UN 3175	UN 3175	UN 3175	UN 3175	UN 3175	
14.2. UN proper shippin	g name				
SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (propan-2-ol; n- propanol)	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (propan-2-ol; n- propanol)	Solids containing flammable liquid, n.o.s. (propan-2-ol; n-propanol)	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (propan-2-ol; n- propanol)	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (propan-2-ol; n- propanol)	
Transport document descr	iption				
UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (propan-2-ol; n- propanol), 4.1, II, (E)	UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (propan-2-ol; n- propanol), 4.1, II	UN 3175 Solids containing flammable liquid, n.o.s. (propan-2-ol; n-propanol), 4.1, II	UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (propan-2-ol; n- propanol), 4.1, II	UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (propan-2-ol; n- propanol), 4.1, II	
14.3. Transport hazard o	class(es)				
4.1	4.1	4.1	4.1	4.1	
14.4. Packing group	14.4. Packing group				
11	II	II	II	11	
14.5. Environmental hazards					
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No	
No supplementary information	n available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1

Special provisions (ADR) : 216, 274, 601

Limited quantities (ADR) : 1kg

09/06/2021 (Revision date) GB - en 10/13

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Excepted quantities (ADR) : E2
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 40

Orange plates :

40 3175

Tunnel restriction code (ADR) : E EAC code : 1Z

Transport by sea

Special provisions (IMDG): 216, 274Limited quantities (IMDG): 1 kgExcepted quantities (IMDG): E2EmS-No. (Fire): F-AEmS-No. (Spillage): S-I

Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y441
PCA limited quantity max net quantity (IATA) : 5kg
PCA packing instructions (IATA) : 445
PCA max net quantity (IATA) : 15kg
CAO max net quantity (IATA) : 50kg
Special provisions (IATA) : A46

Inland waterway transport

Classification code (ADN) : F1

Special provisions (ADN) : 216, 274, 601, 800

Limited quantities (ADN) : 1 kg Excepted quantities (ADN) : E2

Additional requirements/Remarks (ADN) : VE03, IN01 and IN02 apply only when this substance is carried in bulk or without packaging

Rail transport

Classification code (RID) : F1

Special provisions (RID) : 216, 274, 601

Limited quantities (RID) : 1kg
Excepted quantities (RID) : E2
Transport category (RID) : 2
Hazard identification number (RID) : 40

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following res	The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:	
Reference code Applicable on		
3(a)	Spray On Bio-wipes ; propan-2-ol ; n-propanol	
3(b)	b) Spray On Bio-wipes ; propan-2-ol ; n-propanol	
40.	Spray On Bio-wipes ; propan-2-ol ; n-propanol	

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

VOC content

Other information, restriction and prohibition regulations

: 59.81 %

: Take note of Directive 94/33/EC on the protection of young people at work. Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products. The additional label requirements of directive EU 528/2012 about the available on the market and use of biocidal products have to be observed. Every advertisement for biocides has to be accompanied by following sentence: Use biocides safely. Always read the label and product information before use.

Type of product (Biocide)

: 2 - Disinfectants and algaecides not intended for direct application to humans or animals

4 - Food and feed area

Directive 2012/18/EU (SEVESO III)

Seveso III Part I (Categories of dangerous substances)	Qualifying quantity (tonnes)	
	Lower-tier	Upper-tier
P5c FLAMMABLE LIQUIDS Flammable liquids, Categories 2 or 3 not covered by P5a and P5b	5000	50000

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:			
Section	Changed item	Change	Comments
1.1	Trade name	Modified	

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
TLM	Median Tolerance Limit	
vPvB	Very Persistent and Very Bioaccumulative	

Data sources : MSDSs of the suppliers. Information provided by the manufacturer. European Chemicals Agency,

http://echa.europa.eu/.

Department issuing data : KFT Chemieservice GmbH specification sheet: Im Leuschnerpark 3

D-64347 Griesheim

Phone: +49 6155-8981-400 Fax: +49 6155 8981-500 SDS Service: +49 6155 8981-522

Contact person : Barbara Stark

Other information : Version/s 1.00-2.00 is/are not available in this language.

Full text of H- and EUH-statements:		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H225	Highly flammable liquid and vapour.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Flam. Liq. 2	H225	Expert judgment
Eye Dam. 1	H318	Calculation method
STOT SE 3	H336	Calculation method

KFT SDS EU 01

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.