

Lotio Sept Gel

Product information

Product description

Lotio Sept Gel is a ready-to-use, alcohol-based disinfectant gel for hygienic hand disinfection.

Areas of application

- In hospitals and other settings where a high standard of hand hygiene is required, e.g.:
- domestic use (home care, etc.)
- institutional use (research, etc.)
- Industrial applications, e.g. in the food, cosmetics- and pharmaceutical industries, etc.
- restaurants and commercial/canteen kitchens
- leisure areas

Spectrum of activity

- bactericidal (incl. MRSA), yeasticidal
- active against enveloped viruses (incl. HBV, HIV, HCV, vaccinia-, influenza- and corona-viruses)
- effective against noroviruses

Instruction for use

Clean and dry hands before disinfection. Apply a sufficient amount of Lotio Sept Gel to the hands. Keep the hands moist throughout the entire exposure time and reapply if necessary.



Exposure times

Lotio Sept Gel Spectrum of activity	Condition (dirty/ clean)	Exposure time	Norm
Hygienic hand disinfection	dirty	30 seconds	VAH method 7, 8, 9, EN 1500
Active against envelopes viruses (Modified Vaccinia Ankara)	clean	15 seconds	EN 14476
Murine Norovirus	clean	60 seconds	EN 14476

Product range and specification

Item number	Container size	Container type	Packaging unit	PCN (each)	EAN/GTIN (each)	EAN/GTIN (packaging unit)
601375	100 ml	bottle	42 × 100 ml	18311634	4260181254326	4260181250731
601119	500 ml	bottle	18 × 500 ml	18311657	4260181254289	4260181250755
601118	1 L	bottle	10 × 1 L	18311640	4260181254272	4260181250748

Application-specific instructions for use

Adults and children of 12 years and above: 3 ml. The amount of liquid shall resemble the size of a large-sized coin. Children under 12 years: 1,5 ml.

Application rate(s) and frequency

The product shall be used on visibly clean hands. If hands are dirty, wash with soap and water, rinse and dry before applying the product. The product is ready-to-use. The product shall be either applied directly or used in a dispenser or with a pump.

Step 1: Apply the following amount of disinfectant: adults and children of 12 years and above: 3 ml; children under 12 years: 1,5 ml. Rub into palm of hand. Rub palm to palm to spread disinfectant over entire hands and fingers.

Step 2: Rub the back of your left hand with the palm of the right hand. Reverse and repeat action.

Step 3: Open fingers and rub the finger webs. Reverse and repeat action.

Step 4: Rub palm to palm with fingers interlocked (5 times).

Step 5: Rub thumb of each hand using a rotating movement.

Step 6: Rub the tips of the fingers against the opposite palm using circular movement. Rub wrist with both hands. Allow hands to dry completely. Keep wet for 30 seconds against bacteria, yeast, tuberculosis bacteria and enveloped viruses. Do not rinse. Repeat if renewed hand disinfection is required. Adults and children of 12 years and above: up to 10 × per day. Children under 12 years: up to 3 × per day.

Use-specific risk mitigation measures

Use for children (age > 1 year) only under supervision of an adult.

EU authorisation number

The biocidal product Lotio Sept Gel (active substance propan-2-ol) has an EU authorisation for product type 1 (disinfectants for human hygiene) with authorisation number EU-0033834-0005. The authorisation is valid until 30 September 2035.

Use disinfectant safely. Always read the label and product information before use.

Composition

The active ingredients contained in 100 g:
63.14 g Propan-2-ol

Storage and shelf life


Shelf life:
36 months

Shelf life after opening:
12 months

Close the container carefully after each use.

Store the product in a well-ventilated place in a sealed condition and protect it from unauthorized access.

Informations about this product



For further information,
please visit our website
www.drdeppe.de

For specific inquiries,
please contact
info@drdeppe.de

